

WELLAB LTD.

606 - 608 Cornell Centre,
50 Wing Tai Road,
Chai Wan, Hong Kong.
Tel: (852) 2898 7388
Fax: (852) 2898 7076

QC REPORT

APPLICANT: Cinotech Consultants Limited
1601-1610 Delta House,
3 On Yiu Street,
Shatin, N.T.

Laboratory No.:	00341
Date of Issue:	2004-10-02
Date Received:	2004-09-01
Date Tested:	2004-09-02
Date Completed:	2004-09-03
Page:	1 of 1

ATTN: Mr. Henry Leung
Sampling Site: Siu A Chau
Project No.: HW3025
Sampling Date: 2004-09-01
Number of Sample: 36
Custody No.: 40076

Total Suspended Solids	Duplicate Analysis			QC Recovery, %	Spike Recovery, %
Sampling Point	Trial 1, mg/L	Trial 2, mg/L	Difference, %		
WISE	11	12	13	103	94
WISF	7	6	13	89	98

PREPARED AND CHECKED BY:
For and On Behalf of **WELLAB Ltd.**



WILLIAM YIP
Laboratory Manager

WELLAB LTD.

606 - 608 Cornell Centre,
50 Wing Tai Road,
Chai Wan, Hong Kong.
Tel: (852) 2898 7388
Fax: (852) 2898 7076

QC REPORT


APPLICANT: Cinotech Consultants Limited
1601-1610 Delta House,
3 On Yiu Street,
Shatin, N.T.

Laboratory No.:	00345
Date of Issue:	2004-10-02
Date Received:	2004-09-02
Date Tested:	2004-09-03
Date Completed:	2004-09-03
Page:	1 of 1

ATTN: Mr. Henry Leung
Sampling Site: Siu A Chau
Project No.: HW3025
Sampling Date: 2004/09/02
Number of Sample: 36
Custody No.: 40077

Total Suspended Solids Sampling Point	Duplicate Analysis			QC Recovery, %	Spike Recovery, %
	Trial 1, mg/L	Trial 2, mg/L	Difference, %		
W1SE	4	5	15	94	92
W1SF	8	10	14	89	88

PREPARED AND CHECKED BY:
For and On Behalf of **WELLAB Ltd.**



WILLIAM YIP
Laboratory Manager

WELLAB LTD.

606 - 608 Cornell Centre,
50 Wing Tai Road,
Chai Wan, Hong Kong.
Tel: (852) 2898 7388
Fax: (852) 2898 7076

QC REPORT


APPLICANT: Cinotech Consultants Limited
1601-1610 Delta House,
3 On Yiu Street,
Shatin, N.T.

Laboratory No.:	00372
Date of Issue:	2004/10/02
Date Received:	2004/09/07
Date Tested:	2004/09/08
Date Completed:	2004/09/08
Page:	1 of 1

ATTN: Mr. Henry Leung
Sampling Site: Siu A Chau
Project No.: HW3025
Sampling Date: 2004/09/07
Number of Sample: 36
Custody No.: 40078

Total Suspended Solids	Duplicate Analysis			QC Recovery, %	Spike Recovery, %
Sampling Point	Trial 1, mg/L	Trial 2, mg/L	Difference, %		
WISE	10	11	10	104	93
WISF	11	9	20	100	101

PREPARED AND CHECKED BY:
For and On Behalf of **WELLAB Ltd.**



WILLIAM YIP
Laboratory Manager

WELLAB LTD.

606 - 608 Cornell Centre,
50 Wing Tai Road,
Chai Wan, Hong Kong.
Tel: (852) 2898 7388
Fax: (852) 2898 7076

QC REPORT

APPLICANT: Cinotech Consultants Limited
1601-1610 Delta House,
3 On Yiu Street,
Shatin, N.T.

Laboratory No.:	00373
Date of Issue:	2004/10/02
Date Received:	2004/09/08
Date Tested:	2004/09/09
Date Completed:	2004/09/10
Page:	1 of 1

ATTN: Mr. Henry Leung
Sampling Site: Siu A Chau
Project No.: HW3025
Sampling Date: 2004/09/08
Number of Sample: 36
Custody No.: 40079

Total Suspended Solids Sampling Point	Duplicate Analysis			QC Recovery, %	Spike Recovery, %
	Trial 1, mg/L	Trial 2, mg/L	Difference, %		
W1SE	30	29	3	98	104
W1SF	8	8	0	92	89

PREPARED AND CHECKED BY:
For and On Behalf of **WELLAB Ltd.**



WILLIAM YIP
Laboratory Manager

WELLAB LTD.

606 - 608 Cornell Centre,
50 Wing Tai Road,
Chai Wan, Hong Kong.
Tel: (852) 2898 7388
Fax: (852) 2898 7076

QC REPORT

APPLICANT: Cinotech Consultants Limited
1601-1610 Delta House,
3 On Yiu Street,
Shatin, N.T.

Laboratory No.:	00389
Date of Issue:	2004/10/02
Date Received:	2004/09/09
Date Tested:	2004/09/10
Date Completed:	2004/09/10
Page:	1 of 1

ATTN: Mr. Henry Leung
Sampling Site: Siu A Chau
Project No.: HW3025
Sampling Date: 2004/09/09
Number of Sample: 36
Custody No.: 40080

Total Suspended Solids	Duplicate Analysis			QC Recovery, %	Spike Recovery, %
Sampling Point	Trial 1, mg/L	Trial 2, mg/L	Difference, %		
WISE	39	34	14	89	92
WISF	7	8	13	96	91

PREPARED AND CHECKED BY:
For and On Behalf of **WELLAB Ltd.**



WILLIAM YIP
Laboratory Manager

WELLAB LTD.

606 - 608 Cornell Centre,
50 Wing Tai Road,
Chai Wan, Hong Kong.
Tel: (852) 2898 7388
Fax: (852) 2898 7076

QC REPORT

APPLICANT: Cinotech Consultants Limited
1601-1610 Delta House,
3 On Yiu Street,
Shatin, N.T.

Laboratory No.:	00396
Date of Issue:	2004/10/02
Date Received:	2004/09/13
Date Tested:	2004/09/14
Date Completed:	2004/09/14
Page:	1 of 1

ATTN: Mr. Henry Leung
Sampling Site: Siu A Chau
Project No.: HW3025
Sampling Date: 2004/09/13
Number of Sample: 36
Custody No.: 40081

Total Suspended Solids	Duplicate Analysis			QC Recovery, %	Spike Recovery, %
Sampling Point	Trial 1, mg/L	Trial 2, mg/L	Difference, %		
WISE	13	14	7	100	89
WISF	17	15	13	103	85

PREPARED AND CHECKED BY:
For and On Behalf of **WELLAB Ltd.**



WILLIAM YIP
Laboratory Manager

WELLAB LTD.

606 - 608 Cornell Centre,
50 Wing Tai Road,
Chai Wan, Hong Kong.
Tel: (852) 2898 7388
Fax: (852) 2898 7076

QC REPORT

APPLICANT: Cinotech Consultants Limited
1601-1610 Delta House,
3 On Yiu Street,
Shatin, N.T.

Laboratory No.:	00409
Date of Issue:	2004/10/02
Date Received:	2004/09/15
Date Tested:	2004/09/16
Date Completed:	2004/09/16
Page:	1 of 1

ATTN: Mr. Henry Leung
Sampling Site: Siu A Chau
Project No.: HW3025
Sampling Date: 2004/09/15
Number of Sample: 36
Custody No.: 40082

Total Suspended Solids	Duplicate Analysis			QC Recovery, %	Spike Recovery, %
Sampling Point	Trial 1, mg/L	Trial 2, mg/L	Difference, %		
WISE	15	13	14	97	89
WISF	20	23	12	93	94

PREPARED AND CHECKED BY:
For and On Behalf of **WELLAB Ltd.**



WILLIAM YIP
Laboratory Manager

WELLAB LTD.

606 - 608 Cornell Centre,
50 Wing Tai Road,
Chai Wan, Hong Kong.
Tel: (852) 2898 7388
Fax: (852) 2898 7076

QC REPORT

APPLICANT: Cinotech Consultants Limited
1601-1610 Delta House,
3 On Yiu Street,
Shatin, N.T.

Laboratory No.:	00410
Date of Issue:	2004/10/02
Date Received:	2004/09/14
Date Tested:	2004/09/16
Date Completed:	2004/09/16
Page:	1 of 1

ATTN: Mr. Henry Leung
Sampling Site: Siu A Chau
Project No.: HW3025
Sampling Date: 2004/09/14
Number of Sample: 36
Custody No.: 40083

Total Suspended Solids Sampling Point	Duplicate Analysis			QC Recovery, %	Spike Recovery, %
	Trial 1, mg/L	Trial 2, mg/L	Difference, %		
WISE	14	12	15	94	103
WISF	13	14	4	99	94

PREPARED AND CHECKED BY:
For and On Behalf of **WELLAB Ltd.**



WILLIAM YIP
Laboratory Manager

WELLAB LTD.

606 - 608 Cornell Centre,
50 Wing Tai Road,
Chai Wan, Hong Kong.
Tel: (852) 2898 7388
Fax: (852) 2898 7076

QC REPORT

APPLICANT: Cinotech Consultants Limited
1601-1610 Delta House,
3 On Yiu Street,
Shatin, N.T.

Laboratory No.:	00426
Date of Issue:	2004/10/02
Date Received:	2004/09/20
Date Tested:	2004/09/21
Date Completed:	2004/09/21
Page:	1 of 1

ATTN: Mr. Henry Leung
Sampling Site: Siu A Chau
Project No.: HW3025
Sampling Date: 2004/09/20
Number of Sample: 36
Custody No.: 40084

Total Suspended Solids	Duplicate Analysis			QC Recovery, %	Spike Recovery, %
Sampling Point	Trial 1, mg/L	Trial 2, mg/L	Difference, %		
WISE	10	12	16	103	95
WISF	15	19	21	95	98

PREPARED AND CHECKED BY:
For and On Behalf of **WELLAB Ltd.**



WILLIAM YIP
Laboratory Manager

WELLAB LTD.

606 - 608 Cornell Centre,
50 Wing Tai Road,
Chai Wan, Hong Kong.
Tel: (852) 2898 7388
Fax: (852) 2898 7076

QC REPORT

APPLICANT: Cinotech Consultants Limited
1601-1610 Delta House,
3 On Yiu Street,
Shatin, N.T.

Laboratory No.:	00429
Date of Issue:	2004/10/02
Date Received:	2004/09/21
Date Tested:	2004/09/22
Date Completed:	2004/09/22
Page:	1 of 1

ATTN: Mr. Henry Leung
Sampling Site: Siu A Chau
Project No.: HW3025
Sampling Date: 2004/09/21
Number of Sample: 36
Custody No.: 40085

Total Suspended Solids Sampling Point	Duplicate Analysis			QC Recovery, %	Spike Recovery, %
	Trial 1, mg/L	Trial 2, mg/L	Difference, %		
WISE	26	31	16	96	92
WISF	16	17	6	101	89

PREPARED AND CHECKED BY:
For and On Behalf of **WELLAB Ltd.**



WILLIAM YIP
Laboratory Manager

WELLAB LTD.

606 - 608 Cornell Centre,
50 Wing Tai Road,
Chai Wan, Hong Kong.
Tel: (852) 2898 7388
Fax: (852) 2898 7076

QC REPORT

APPLICANT: Cinotech Consultants Limited
1601-1610 Delta House,
3 On Yiu Street,
Shatin, N.T.

Laboratory No.:	00460
Date of Issue:	2004/10/02
Date Received:	2004/09/24
Date Tested:	2004/09/25
Date Completed:	2004/06/25

ATTN: Mr. Henry Leung
Sampling Site: Siu A Chau
Project No.: HW3025
Sampling Date: 2004/09/24
Number of Sample: 36
Custody No.: 40086

Page: 1 of 1

Total Suspended Solids	Duplicate Analysis			QC Recovery, %	Spike Recovery, %
Sampling Point	Trial 1, mg/L	Trial 2, mg/L	Difference, %		
W1SE	31	25	21	96	92
W1SF	40	44	10	99	89

PREPARED AND CHECKED BY:
For and On Behalf of **WELLAB Ltd.**



WILLIAM YIP
Laboratory Manager

WELLAB LTD.

606 - 608 Cornell Centre,
50 Wing Tai Road,
Chai Wan, Hong Kong.
Tel: (852) 2898 7388
Fax: (852) 2898 7076

QC REPORT

APPLICANT: Cinotech Consultants Limited
1601-1610 Delta House,
3 On Yiu Street,
Shatin, N.T.

Laboratory No.:	00472
Date of Issue:	2004/10/02
Date Received:	2004/09/27
Date Tested:	2004/09/28
Date Completed:	2004/09/28

ATTN: Mr. Henry Leung
Sampling Site: Siu A Chau
Project No.: HW3025
Sampling Date: 2004/09/27
Number of Sample: 36
Custody No.: 40087

Page: 1 of 1

Total Suspended Solids	Duplicate Analysis			QC Recovery, %	Spike Recovery, %
Sampling Point	Trial 1, mg/L	Trial 2, mg/L	Difference, %		
W1SE	46	46	0	93	94
W1SF	45	37	20	102	101

PREPARED AND CHECKED BY:
For and On Behalf of **WELLAB Ltd.**



WILLIAM YIP
Laboratory Manager

WELLAB LTD.

606 - 608 Cornell Centre,
50 Wing Tai Road,
Chai Wan, Hong Kong.
Tel: (852) 2898 7388
Fax: (852) 2898 7076

QC REPORT

APPLICANT: Cinotech Consultants Limited
1601-1610 Delta House,
3 On Yiu Street,
Shatin, N.T.

Laboratory No.:	00479
Date of Issue:	2004/10/02
Date Received:	2004/09/28
Date Tested:	2004/09/28
Date Completed:	2004/09/28

ATTN: Mr. Henry Leung
Sampling Site: Siu A Chau
Project No.: HW3025
Sampling Date: 2004/09/28
Number of Sample: 36
Custody No.: 40087

Page: 1 of 1

Total Suspended Solids	Duplicate Analysis			QC Recovery, %	Spike Recovery, %
Sampling Point	Trial 1, mg/L	Trial 2, mg/L	Difference, %		
W1ME	21	23	9	93	94
W1SF	28	24	15	102	101

PREPARED AND CHECKED BY:
For and On Behalf of **WELLAB Ltd.**



WILLIAM YIP
Laboratory Manager

WELLAB LTD.

606 - 608 Cornell Centre,
50 Wing Tai Road,
Chai Wan, Hong Kong.
Tel: (852) 2898 7388
Fax: (852) 2898 7076

QC REPORT

APPLICANT: Cinotech Consultants Limited
1601-1610 Delta House,
3 On Yiu Street,
Shatin, N.T.

Laboratory No.:	00489
Date of Issue:	2004/10/02
Date Received:	2004/09/30
Date Tested:	2004/10/02
Date Completed:	2004/10/02
Page:	1 of 1

ATTN: Mr. Henry Leung
Sampling Site: Siu A Chau
Project No.: HW3025
Sampling Date: 2004/09/30
Number of Sample: 36
Custody No.: 40088

Total Suspended Solids Sampling Point	Duplicate Analysis			QC Recovery, %	Spike Recovery, %
	Trial 1, mg/L	Trial 2, mg/L	Difference, %		
W1SE	13	12	8	93	89
W1SF	41	40	2	99	96

PREPARED AND CHECKED BY:
For and On Behalf of **WELLAB Ltd.**



WILLIAM YIP
Laboratory Manager