

WELLAB LTD.

606 - 608 Cornell Centre,
50 Wing Tai Road,
Chai Wan, Hong Kong.
Tel: (852) 2898 7388
Fax: (852) 2898 7076

QC REPORT

APPLICANT: Cinotech Consultants Limited
1601-1610 Delta House,
3 On Yiu Street,
Shatin, N.T.

Laboratory No.:	00651
Date of Issue:	2004/12/01
Date Received:	2004/11/01
Date Tested:	2004/11/02
Date Completed:	2004/11/02
Page:	1 of 1

ATTN: Mr. Henry Leung
Sampling Site: Siu A Chau
Project No.: HW3025
Sampling Date: 2004/11/01
Number of Sample: 36
Custody No.: 40101

Total Suspended Solids Sampling Point	Duplicate Analysis			QC Recovery, %	Spike Recovery, %
	Trial 1, mg/L	Trial 2, mg/L	Difference, %		
W1SE	33	28	16	93	96
W1SF	26	44	54	90	94

PREPARED AND CHECKED BY:
For and On Behalf of **WELLAB Ltd.**



WILLIAM YIP
Laboratory Manager

WELLAB LTD.

606 - 608 Cornell Centre,
50 Wing Tai Road,
Chai Wan, Hong Kong.
Tel: (852) 2898 7388
Fax: (852) 2898 7076

QC REPORT


APPLICANT: Cinotech Consultants Limited
1601-1610 Delta House,
3 On Yiu Street,
Shatin, N.T.

Laboratory No.:	00658
Date of Issue:	2004/12/01
Date Received:	2004/11/02
Date Tested:	2004/11/03
Date Completed:	2004/11/03
Page:	1 of 1

ATTN: Mr. Henry Leung
Sampling Site: Siu A Chau
Project No.: HW3025
Sampling Date: 2004/11/02
Number of Sample: 36
Custody No.: 40102

Total Suspended Solids Sampling Point	Duplicate Analysis			QC Recovery, %	Spike Recovery, %
	Trial 1, mg/L	Trial 2, mg/L	Difference, %		
W1SE	23	26	12	93	96
W1SF	37	41	10	92	102

PREPARED AND CHECKED BY:
For and On Behalf of **WELLAB Ltd.**



WILLIAM YIP
Laboratory Manager

WELLAB LTD.

606 - 608 Cornell Centre,
50 Wing Tai Road,
Chai Wan, Hong Kong.
Tel: (852) 2898 7388
Fax: (852) 2898 7076

QC REPORT

APPLICANT: Cinotech Consultants Limited
1601-1610 Delta House,
3 On Yiu Street,
Shatin, N.T.

Laboratory No.:	00671
Date of Issue:	2004/12/01
Date Received:	2004/11/04
Date Tested:	2004/11/05
Date Completed:	2004/11/05
Page:	1 of 1

ATTN: Mr. Henry Leung
Sampling Site: Siu A Chau
Project No.: HW3025
Sampling Date: 2004/11/04
Number of Sample: 36
Custody No.: 40103

Total Suspended Solids Sampling Point	Duplicate Analysis			QC Recovery, %	Spike Recovery, %
	Trial 1, mg/L	Trial 2, mg/L	Difference, %		
W1SE	55	47	14	94	96
W1SF	60	72	18	93	105

PREPARED AND CHECKED BY:
For and On Behalf of **WELLAB Ltd.**



WILLIAM YIP
Laboratory Manager

WELLAB LTD.

606 - 608 Cornell Centre,
50 Wing Tai Road,
Chai Wan, Hong Kong.
Tel: (852) 2898 7388
Fax: (852) 2898 7076

QC REPORT


APPLICANT: Cinotech Consultants Limited
1601-1610 Delta House,
3 On Yiu Street,
Shatin, N.T.

Laboratory No.:	00685
Date of Issue:	2004/12/01
Date Received:	2004/11/08
Date Tested:	2004/11/09
Date Completed:	2004/11/09
Page:	1 of 1

ATTN: Mr. Henry Leung
Sampling Site: Siu A Chau
Project No.: HW3025
Sampling Date: 2004/11/08
Number of Sample: 36
Custody No.: 40104

Total Suspended Solids Sampling Point	Duplicate Analysis			QC Recovery, %	Spike Recovery, %
	Trial 1, mg/L	Trial 2, mg/L	Difference, %		
W1SE	11	11	2	96	98
W1SF	18	21	16	103	94

PREPARED AND CHECKED BY:
For and On Behalf of **WELLAB Ltd.**



WILLIAM YIP
Laboratory Manager

WELLAB LTD.

606 - 608 Cornell Centre,
50 Wing Tai Road,
Chai Wan, Hong Kong.
Tel: (852) 2898 7388
Fax: (852) 2898 7076

QC REPORT


APPLICANT: Cinotech Consultants Limited
1601-1610 Delta House,
3 On Yiu Street,
Shatin, N.T.

Laboratory No.:	00697
Date of Issue:	2004/12/01
Date Received:	2004/11/10
Date Tested:	2004/11/11
Date Completed:	2004/11/11
Page:	1 of 1

ATTN: Mr. Henry Leung
Sampling Site: Siu A Chau
Project No.: HW3025
Sampling Date: 2004/11/10
Number of Sample: 36
Custody No.: 40105

Total Suspended Solids Sampling Point	Duplicate Analysis			QC Recovery, %	Spike Recovery, %
	Trial 1, mg/L	Trial 2, mg/L	Difference, %		
W1SE	10	10	0	98	103
W1SF	14	16	13	98	98

PREPARED AND CHECKED BY:
For and On Behalf of **WELLAB Ltd.**



WILLIAM YIP
Laboratory Manager

WELLAB LTD.

606 - 608 Cornell Centre,
50 Wing Tai Road,
Chai Wan, Hong Kong.
Tel: (852) 2898 7388
Fax: (852) 2898 7076

QC REPORT

APPLICANT: Cinotech Consultants Limited
1601-1610 Delta House,
3 On Yiu Street,
Shatin, N.T.

Laboratory No.:	00712
Date of Issue:	2004/12/01
Date Received:	2004/11/12
Date Tested:	2004/11/15
Date Completed:	2004/11/15
Page:	1 of 1

ATTN: Mr. Henry Leung
Sampling Site: Siu A Chau
Project No.: HW3025
Sampling Date: 2004/11/12
Number of Sample: 36
Custody No.: 40106

Total Suspended Solids Sampling Point	Duplicate Analysis			QC Recovery, %	Spike Recovery, %
	Trial 1, mg/L	Trial 2, mg/L	Difference, %		
W1SE	10	10	0	91	108
W1SF	11	11	0	96	103

PREPARED AND CHECKED BY:
For and On Behalf of **WELLAB Ltd.**



WILLIAM YIP
Laboratory Manager

WELLAB LTD.

606 - 608 Cornell Centre,
50 Wing Tai Road,
Chai Wan, Hong Kong.
Tel: (852) 2898 7388
Fax: (852) 2898 7076

QC REPORT


APPLICANT: Cinotech Consultants Limited
1601-1610 Delta House,
3 On Yiu Street,
Shatin, N.T.

Laboratory No.:	00725
Date of Issue:	2004/12/01
Date Received:	2004/11/15
Date Tested:	2004/11/16
Date Completed:	2004/11/16
Page:	1 of 1

ATTN: Mr. Henry Leung
Sampling Site: Siu A Chau
Project No.: HW3025
Sampling Date: 2004/11/15
Number of Sample: 36
Custody No.: 400107

Total Suspended Solids Sampling Point	Duplicate Analysis			QC Recovery, %	Spike Recovery, %
	Trial 1, mg/L	Trial 2, mg/L	Difference, %		
W1SE	35	38	9	108	93
W1SF	45	43	6	100	100

PREPARED AND CHECKED BY:
For and On Behalf of **WELLAB Ltd.**



WILLIAM YIP
Laboratory Manager

WELLAB LTD.

606 - 608 Cornell Centre,
50 Wing Tai Road,
Chai Wan, Hong Kong.
Tel: (852) 2898 7388
Fax: (852) 2898 7076

QC REPORT


APPLICANT: Cinotech Consultants Limited
1601-1610 Delta House,
3 On Yiu Street,
Shatin, N.T.

Laboratory No.:	00736
Date of Issue:	2004/12/01
Date Received:	2004/11/16
Date Tested:	2004/11/17
Date Completed:	2004/11/17
Page:	1 of 1

ATTN: Mr. Henry Leung
Sampling Site: Siu A Chau
Project No.: HW3025
Sampling Date: 2004/11/16
Number of Sample: 36
Custody No.: 400108

Total Suspended Solids Sampling Point	Duplicate Analysis			QC Recovery, %	Spike Recovery, %
	Trial 1, mg/L	Trial 2, mg/L	Difference, %		
W1SE	14	13	4	94	98
W1SF	23	20	17	92	99

PREPARED AND CHECKED BY:
For and On Behalf of **WELLAB Ltd.**



WILLIAM YIP
Laboratory Manager

WELLAB LTD.

606 - 608 Cornell Centre,
50 Wing Tai Road,
Chai Wan, Hong Kong.
Tel: (852) 2898 7388
Fax: (852) 2898 7076

QC REPORT


APPLICANT: Cinotech Consultants Limited
1601-1610 Delta House,
3 On Yiu Street,
Shatin, N.T.

Laboratory No.:	00755
Date of Issue:	2004/12/01
Date Received:	2004/11/19
Date Tested:	2004/11/21
Date Completed:	2004/11/21
Page:	1 of 1

ATTN: Mr. Henry Leung
Sampling Site: Siu A Chau
Project No.: HW3025
Sampling Date: 2004/11/19
Number of Sample: 36
Custody No.: 400109

Total Suspended Solids Sampling Point	Duplicate Analysis			QC Recovery, %	Spike Recovery, %
	Trial 1, mg/L	Trial 2, mg/L	Difference, %		
W1SE	31	37	17	89	86
W1SF	37	42	12	103	97

PREPARED AND CHECKED BY:
For and On Behalf of **WELLAB Ltd.**



WILLIAM YIP
Laboratory Manager

WELLAB LTD.

606 - 608 Cornell Centre,
50 Wing Tai Road,
Chai Wan, Hong Kong.
Tel: (852) 2898 7388
Fax: (852) 2898 7076

QC REPORT

APPLICANT: Cinotech Consultants Limited
1601-1610 Delta House,
3 On Yiu Street,
Shatin, N.T.

Laboratory No.:	00788
Date of Issue:	2004/12/01
Date Received:	2004/11/22
Date Tested:	2004/11/23
Date Completed:	2004/11/23
Page:	1 of 1

ATTN: Mr. Henry Leung
Sampling Site: Siu A Chau
Project No.: HW3025
Sampling Date: 2004/11/22
Number of Sample: 36
Custody No.: 400110

Total Suspended Solids Sampling Point	Duplicate Analysis			QC Recovery, %	Spike Recovery, %
	Trial 1, mg/L	Trial 2, mg/L	Difference, %		
W1SE	51	57	11	94	82
W1SF	56	60	6	99	91

PREPARED AND CHECKED BY:
For and On Behalf of **WELLAB Ltd.**



WILLIAM YIP
Laboratory Manager

WELLAB LTD.

606 - 608 Cornell Centre,
50 Wing Tai Road,
Chai Wan, Hong Kong.
Tel: (852) 2898 7388
Fax: (852) 2898 7076

QC REPORT


APPLICANT: Cinotech Consultants Limited
1601-1610 Delta House,
3 On Yiu Street,
Shatin, N.T.

Laboratory No.:	00788
Date of Issue:	2004/12/01
Date Received:	2004/11/23
Date Tested:	2004/11/24
Date Completed:	2004/11/24
Page:	1 of 1

ATTN: Mr. Henry Leung
Sampling Site: Siu A Chau
Project No.: HW3025
Sampling Date: 2004/11/23
Number of Sample: 36
Custody No.: 400111

Total Suspended Solids Sampling Point	Duplicate Analysis			QC Recovery, %	Spike Recovery, %
	Trial 1, mg/L	Trial 2, mg/L	Difference, %		
W1SE	40	44	9	99	86
W1SF	56	56	0	106	91

PREPARED AND CHECKED BY:
For and On Behalf of **WELLAB Ltd.**



WILLIAM YIP
Laboratory Manager

WELLAB LTD.

606 - 608 Cornell Centre,
50 Wing Tai Road,
Chai Wan, Hong Kong.
Tel: (852) 2898 7388
Fax: (852) 2898 7076

QC REPORT


APPLICANT: Cinotech Consultants Limited
1601-1610 Delta House,
3 On Yiu Street,
Shatin, N.T.

Laboratory No.:	00825
Date of Issue:	2004/12/01
Date Received:	2004/11/25
Date Tested:	2004/11/26
Date Completed:	2004/11/26
Page:	1 of 1

ATTN: Mr. Henry Leung
Sampling Site: Siu A Chau
Project No.: HW3025
Sampling Date: 2004/11/25
Number of Sample: 36
Custody No.: 400112

Total Suspended Solids Sampling Point	Duplicate Analysis			QC Recovery, %	Spike Recovery, %
	Trial 1, mg/L	Trial 2, mg/L	Difference, %		
W1SE	16	42	89	106	91
W1SF	48	45	7	103	96

PREPARED AND CHECKED BY:
For and On Behalf of **WELLAB Ltd.**



WILLIAM YIP
Laboratory Manager

WELLAB LTD.

606 - 608 Cornell Centre,
50 Wing Tai Road,
Chai Wan, Hong Kong.
Tel: (852) 2898 7388
Fax: (852) 2898 7076

QC REPORT

APPLICANT: Cinotech Consultants Limited
1601-1610 Delta House,
3 On Yiu Street,
Shatin, N.T.

Laboratory No.:	00847
Date of Issue:	2004/12/02
Date Received:	2004/11/29
Date Tested:	2004/12/01
Date Completed:	2004/12/01
Page:	1 of 1

ATTN: Mr. Henry Leung
Sampling Site: Siu A Chau
Project No.: HW3025
Sampling Date: 2004/11/29
Number of Sample: 36
Custody No.: 400113

Total Suspended Solids Sampling Point	Duplicate Analysis			QC Recovery, %	Spike Recovery, %
	Trial 1, mg/L	Trial 2, mg/L	Difference, %		
W1SE	23	25	10	98	103
W1SF	43	51	17	98	98

PREPARED AND CHECKED BY:
For and On Behalf of **WELLAB Ltd.**



WILLIAM YIP
Laboratory Manager

WELLAB LTD.

606 - 608 Cornell Centre,
50 Wing Tai Road,
Chai Wan, Hong Kong.
Tel: (852) 2898 7388
Fax: (852) 2898 7076

QC REPORT


APPLICANT: Cinotech Consultants Limited
1601-1610 Delta House,
3 On Yiu Street,
Shatin, N.T.

Laboratory No.:	00856
Date of Issue:	2004/12/02
Date Received:	2004/11/30
Date Tested:	2004/12/01
Date Completed:	2004/12/01
Page:	1 of 1

ATTN: Mr. Henry Leung
Sampling Site: Siu A Chau
Project No.: HW3025
Sampling Date: 2004/11/30
Number of Sample: 36
Custody No.: 400114

Total Suspended Solids Sampling Point	Duplicate Analysis			QC Recovery, %	Spike Recovery, %
	Trial 1, mg/L	Trial 2, mg/L	Difference, %		
W1SE	54	44	22	90	104
W1SF	54	62	13	98	109

PREPARED AND CHECKED BY:
For and On Behalf of **WELLAB Ltd.**



WILLIAM YIP
Laboratory Manager